
SEC/SH/12/21/CA1

# NEVADA BLANKET BOX ASSEMBLY INSTRUCTIONS





## IMPORTANT FOR DOMESTIC USE ONLY


PLEASE READ BEFORE YOU CONTINUE FURTHER


## CARE AND MAINTENANCE

After unpacking this product please keep the original packaging in case it needs to be returned for any reason.

- Please ensure all fittings and parts are present before commencing with assembly.
- Never drag or push products as this could cause damage to the joints making it inferior.
- We strongly recommend that you keep children away from your work area.
- We recommend that you lay a blanket or sheet on the floor to avoid damage to both your floor and the product.
- Assemble this product as close to its final position as possible.
- Do not place this product next to a radiator or in direct sunlight.
- Do not drag or push items across your high gloss furniture as this may cause the surface to scratch
- Wood is a natural product and may expand if subjected to damp and may shrink or crack if subjected to heat. Therefore it is recommended that room temperature is maintained, with no sudden temperature fluctuations.
- · Make sure any spillage is wiped off immediately.
- Do not place hot or chilled items directly on to the surface, use a place mat or marking will occur.
- For general cleaning use a soft cotton or micro fibre cloth, and do not use detergents of any kind.
- From time to time it may be necessary to tighten fittings, regular inspections should be carried out.
- Do not place on a wet or damp floor as staining may occur to your floor.


#### TOOLS REQUIRED






<u>Please Note:</u>
The below parts have all been stamped with the part number to help identify them during assembly.

Part Number	Part Description	Quantity	<u>Carton</u>
1	Base Panel	1	1/1
2	Side Panel	2	1/1
3	Front Panel	1	1/1
4	Back Panel	1	1/1
5	Top Panel	1	1/1



### **TIPS FOR FITTINGS CAM-LOCKS**







Tighten until shoulder in flush with panel. Do not overtighten or undertighten (see example beside)



Shoulder












x1



#### **TOOLS REQUIRED**






## STEP 2


#### **PARTS REQUIRED**


4 - BACK PANEL x1


#### **HARDWARE REQUIRED**




#### **TOOLS REQUIRED**












Detail 1








SEC/SH/12/21/CA1

Detail 1










## STEP 13

#### PARTS REQUIRED



#### HARDWARE REQUIRED

Α	<b>(4)</b> [mmmm]	02
	Ø3,5 x 20mm	





#### **TOOLS REQUIRED**



